



Southern Citril

Crithagra hyposticta

406 plots from 2,039 records

Virgin Yellow-vented Bulbul squares 9

Single YvB month 16

Two YvB months 24

Status

- Presence
- Breeding season
- Month with eggs

Seasonality
presence bs eggs

January	222	9	3
February	174	1	-
March	201	3	-
April	143	5	4
May	111	4	4
June	91	4	11
July	184	4	2
August	96	1	2
September	143	2	-
October	168	-	-
November	230	1	2
December	202	5	5
month 13		2	

for now these 5 odd western records to the north and those 2 from the Rukwa basin should be excluded from this species map but well they all require double checking as do those 3 records from the SE. All the Dar es Salaam records will refer to escapees from the bird trade.

Note that in Britton (1980) this "species" is named *Serinus hypostictus* the East African Citril and is included as a race of *S. citrinelloides* that also included western *S. c. frontalis*.
and *hypostictus* in the Nguruman and Chyulu hills in S Kenya, and throughout the highlands of E Tanzania, west to the Crater Highlands, Mbulu and Tunduma.
black-faced races inc *frontalis* in S and W Uganda north and east to the Victoria Nile, and NW Tanzania from Bukoba, Karagwe and Ngara to Kibondo, Kasulu, Mahari Mt and the Ufipa Plateau,



Tanzania Bird Atlas
Preliminary Map
December 2013
From 1,056,327
Database records

J F M A
M J J A
S O N D
#

symbols give month of record within square, not the locality within square