

# Tiny Cisticola

*Cisticola nanus*

104 plots from 153 records

Virgin Yellow-vented Bulbul squares	9
Single YvB month	16
Two YvB months	24

- Status**
- Presence
  - Breeding season
  - Month with eggs

recorded from 26 squares 7.5%

these records beyond the obvious core range will all be ID / entry errors and will be double checked and dealt with.

	Seasonality		
	presence	bs	eggs
January	16	-	-
February	14	-	-
March	10	-	-
April	11	-	-
May	6	-	-
June	7	-	-
July	22	-	-
August	16	-	-
September	7	-	-
October	4	-	-
November	13	-	-
December	25	2	-

from Britton (1980).  
 Locally common in woodland, wooded grassland, tall bushland and cultivation from sea-level to 1500 m in E Kenya and NE Tanzania, mainly at 300—1300 m in arid and semi-arid plateau country. It ranges from Moyale, Nyiru, Barsaloi, the N Uaso Nyiro River and Meru to Lakes Magadi and Natron, the Tsavo region, the foothills of the North Pare Mts, Kilosa and Dar es Salaam. Records from Kidepo Valley NP in NE Uganda require confirmation.



Tanzania Bird Atlas  
 Preliminary Map  
 August 2012  
 From 984,844  
 Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

symbols give month of record within square, not the locality within square

