



# White-winged Tern

*Chlidonias leucopterus*

381 plots from 903 records

Virgin Yellow-vented Bulbul squares 9

Single YvB month 12

Two YvB months 21

**Status**  
 ● Presence  
 ● Breeding season  
 ● Month with eggs

**Seasonality**  
 presence bs eggs

	presence	bs	eggs
January	240	-	-
February	112	-	-
March	121	-	-
April	66	-	-
May	25	-	-
June	20	-	-
July	33	-	-
August	42	-	-
September	47	-	-
October	43	-	-
November	66	-	-
December	85	-	-
month 13	2	-	-

from Britton (1980).  
 An abundant Palaeartic passage migrant and winter visitor to wetland habitats throughout, especially on Lakes Turkana, Nakuru, Victoria, Edward and Mobutu, where it frequently occurs in thousands or tens of thousands. On passage it will feed on insects far from water. Many oversummer from mid May to July, mainly in non-breeding dress. It is very uncommon at the coast. Early references to breeding should be disregarded.



Tanzania Bird Atlas  
 Preliminary Map  
 February 2015  
 From 1,110,908  
 Database records

J F M A  
 M J J A  
 S O N D  
 # # # #  
 symbols give month of  
 record within square, not  
 the locality within square