


# Knob-billed Duck

*Sarkidornis melanotos*

642 plots from 1,627 records



recorded from  
158 squares  
45%

Status  
● Presence  
● Breeding season  
● Month with eggs

Virgin Yellow-vented Bulbul squares **7**  
Single YvB month **14**  
Two YvB months **20**

	Seasonality		
	presence	bs	eggs
January	316	10	3
February	176	10	3
March	166	5	5
April	88	5	4
May	97	7	-
June	88	1	-
July	105	4	-
August	90	1	-
September	72	-	-
October	80	1	-
November	90	1	1
December	188	3	-
month 13	7		



Tanzania Bird Atlas  
Preliminary Map  
October 2015  
From 1,139,059  
Database records

J F M A  
M J J A  
S O N D  
# # # #  
symbols give month of  
record within square, not  
the locality within square

from Britton (1980)  
The nominate race is widespread in wetlands up to 3000 m, usually in small parties though 50 or more is not exceptional. An August clutch from Lake Victoria in Uganda, and small ducklings at five sites in E and C Tanzania and SE Kenya in March-April, are the only dated breeding records. A bird ringed in Zimbabwe was recovered in N Tanzania in November, so that there may be regular migrations over long distances. It occurs at some sites throughout the year and may be partly resident.

29°E 30°E 31°E 32°E 33°E 34°E 35°E 36°E 37°E 38°E 39°E 40°E 41°E

1°S  
2°S  
3°S  
4°S  
5°S  
6°S  
7°S  
8°S  
9°S  
10°S  
11°S